

✓
jst.

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 7/25/2019

Date Sampled: 7/24/2019

Date Received: 7/24/2019

Date of Analysis: 7/24/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	12	204801
2 Nashoba Valley Function Pond	16	204801
3 Forge Village Beach	ND	204803
4 Summer Village Main Beach	6	204804
5 American Legion at LSFP	6	204805
6 Lakeside Meadows (on Nab Lake)	ND	204806
7 North Beach (on Nab Lake) N.I.A.	ND	204807
8 Mary Lou Beach (on Nab Lake) N.I.A.	2	204807
9 Noble Cove (on Nab Lake) N.I.A.	6	204807
10 Edwards Beach	4	204803
11 Sandy Beach (on Nab Lake) N.I.A.	ND	204807
12 East Boston Camps (Daycare Beach)	ND	204808
13 East Boston Camps (Boys Beach)	2	204808
14 East Boston Camps (Girls Beach)	4	204808

RECEIVED

JUL 26 2019

WESTFORD BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
Laboratory Director

✓ sent

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 7/17/2019

Date Sampled: 7/16/2019

Date Received: 7/16/2019

Date of Analysis: 7/16/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	2	204416
2 Nashoba Valley Function Pond	4	204416
3 Forge Village Beach	ND	204420
4 Summer Village Main Beach	ND	204422
5 American Legion at LSFP	4	204423
6 Lakeside Meadows (on Nab Lake)	ND	204424
7 North Beach (on Nab Lake) N.I.A.	ND	204426
8 Mary Lou Beach (on Nab Lake) N.I.A.	ND	204426
9 Noble Cove (on Nab Lake) N.I.A.	ND	204426
10 Edwards Beach	8	204420
11 Sandy Beach (on Nab Lake) N.I.A.	4	204420
12 East Boston Camps (Daycare Beach)	ND	204427
13 East Boston Camps (Boys Beach)	ND	204427
14 East Boston Camps (Girls Beach)	4	204427

RECEIVED

JUL 18 2019

WESTFORD BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

✓
WJH

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 7/9/2019

Date Sampled: 7/8/2019

Date Received: 7/8/2019

Date of Analysis: 7/8/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	2	203967
2 Nashoba Valley Function Pond	6	203967
3 Forge Village Beach	ND	203969
4 Summer Village Main Beach	ND	203970
5 American Legion at LSFP	2	203971
6 Lakeside Meadows (on Nab Lake)	ND	203972
7 North Beach (on Nab Lake) N.I.A.	ND	203973
8 Mary Lou Beach (on Nab Lake) N.I.A.	2	203973
9 Noble Cove (on Nab Lake) N.I.A.	2	203973
10 Edwards Beach	2	203969
11 Sandy Beach (on Nab Lake) N.I.A.	4	203973
12 East Boston Camps (Daycare Beach)	ND	203975
13 East Boston Camps (Boys Beach)	ND	203975
14 East Boston Camps (Girls Beach)	2	203975

RECEIVED

JUL 10 2019

WESTFORD BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118


David L. Knowlton
Laboratory Director

✓ sent.

31A Willow Rd, Ayer MA 01432

Web Site <http://www.nashobaanalytical.com>

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 7/3/2019

Date Sampled: 7/2/2019

Date Received: 7/2/2019

Date of Analysis: 7/2/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	22	203890
2 Nashoba Valley Function Pond	14	203890
3 Forge Village Beach	2	203891
4 Summer Village Main Beach	ND	203893
5 American Legion at LSFP	ND	203894
6 Lakeside Meadows (on Nab Lake)	ND	203895
7 North Beach (on Nab Lake) N.I.A.	4	203896
8 Mary Lou Beach (on Nab Lake) N.I.A.	ND	203896
9 Noble Cove (on Nab Lake) N.I.A.	ND	203896
10 Edwards Beach	2	203891
11 Sandy Beach (on Nab Lake) N.I.A.	ND	203896
12 East Boston Camps (Daycare Beach)	ND	203897
13 East Boston Camps (Boys Beach)	6	203897
14 East Boston Camps (Girls Beach)	4	203897

RECEIVED

JUL 8 2019

WESTFORD BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

✓ sent

31A Willow Rd, Ayer MA 01432

Web Site <http://www.nashobaanalytical.com>

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 6/27/2019

Date Sampled: 6/26/2019

Date Received: 6/26/2019

Date of Analysis: 6/26/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	NT	
2 Nashoba Valley Function Pond	NT	
3 Forge Village Beach	NT	
4 Summer Village Main Beach	NT	
5 American Legion at LSFP	NT	
6 Lakeside Meadows (on Nab Lake)	NT	
7 North Beach (on Nab Lake) N.I.A.	NT	
8 Mary Lou Beach (on Nab Lake) N.I.A.	NT	
9 Noble Cove (on Nab Lake) N.I.A.	4	203650
10 Edwards Beach	NT	
11 Sandy Beach (on Nab Lake) N.I.A.	16	203650
12 East Boston Camps (Daycare Beach)	ND	203648
13 East Boston Camps (Boys Beach)	ND	203648
14 East Boston Camps (Girls Beach)	6	203648

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

RECEIVED

JUN 28 2019

WESTFORD BOARD OF HEALTH

David L. Knowlton
David L. Knowlton
Laboratory Director

Leif

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 6/25/2019

Date Sampled: 6/24/2019

Date Received: 6/24/2019

Date of Analysis: 6/24/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	2	203542
2 Nashoba Valley Function Pond	ND	203542
3 Forge Village Beach	4	203543
4 Summer Village Main Beach	4	203544
5 American Legion at LSFP	ND	203545
6 Lakeside Meadows (on Nab Lake)	ND	203546
7 North Beach (on Nab Lake) N.I.A.	ND	203548
8 Mary Lou Beach (on Nab Lake) N.I.A.	4	203548
9 Noble Cove (on Nab Lake) N.I.A.	NT	
10 Edwards Beach	6	203543
11 Sandy Beach (on Nab Lake) N.I.A.	NT	
12 East Boston Camps (Daycare Beach)	NT	
13 East Boston Camps (Boys Beach)	NT	
14 East Boston Camps (Girls Beach)	NT	

RECEIVED

JUN 26 2019

WESTFORD BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Vent.

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 6/20/2019

Date Sampled: 6/19/2019

Date Received: 6/19/2019

Date of Analysis: 6/19/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	NT	
2 Nashoba Valley Function Pond	NT	
3 Forge Village Beach	ND	203368
4 Summer Village Main Beach	12	203369
5 American Legion at LSFP	10	203370
6 Lakeside Meadows (on Nab Lake)	NT	
7 North Beach (on Nab Lake) N.I.A.	28	203371
8 Mary Lou Beach (on Nab Lake) N.I.A.	130	203371
9 Noble Cove (on Nab Lake) N.I.A.	ND	203371
10 Edwards Beach	42	203368
11 Sandy Beach (on Nab Lake) N.I.A.	4	203371
12 East Boston Camps (Daycare Beach)	NT	
13 East Boston Camps (Boys Beach)	NT	
14 East Boston Camps (Girls Beach)	NT	

RECEIVED
JUN 21 2019
WESTFORD
BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Went

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 6/18/2019

Date Sampled: 6/17/2019

Date Received: 6/17/2019

Date of Analysis: 6/17/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	ND	203221
2 Nashoba Valley Function Pond	ND	203221
3 Forge Village Beach	NT	
4 Summer Village Main Beach	NT	
5 American Legion at LSFP	NT	
6 Lakeside Meadows (on Nab Lake)	ND	203223
7 North Beach (on Nab Lake) N.I.A.	NT	
8 Mary Lou Beach (on Nab Lake) N.I.A.	NT	
9 Noble Cove (on Nab Lake) N.I.A.	NT	
10 Edwards Beach	NT	
11 Sandy Beach (on Nab Lake) N.I.A.	NT	
12 East Boston Camps (Daycare Beach)	ND	203224
13 East Boston Camps (Boys Beach)	ND	203224
14 East Boston Camps (Girls Beach)	ND	203224

RECEIVED
JUN 19 2019
WESTFORD
BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

✓ Jeff

Attention:
Jeff Stephens/Rac Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 6/13/2019

Date Sampled: 6/12/2019

Date Received: 6/12/2019

Date of Analysis: 6/12/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	2	203089
2 Nashoba Valley Function Pond	4	203089
3 Forge Village Beach	NT	
4 Summer Village Main Beach	4	203090
5 American Legion at LSFP	8	203091
6 Lakeside Meadows (on Nab Lake)	ND	203092
7 North Beach (on Nab Lake) N.I.A.	ND	203093
8 Mary Lou Beach (on Nab Lake) N.I.A.	6	203093
9 Noble Cove (on Nab Lake) N.I.A.	ND	203093
10 Edwards Beach	NT	
11 Sandy Beach (on Nab Lake) N.I.A.	8	203093
12 East Boston Camps (Daycare Beach)	ND	203094
13 East Boston Camps (Boys Beach)	ND	203094
14 East Boston Camps (Girls Beach)	ND	203094

RECEIVED

JUN 17 2019

WESTFORD BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 6/5/2019

West

Date Sampled: 6/4/2019

Date Received: 6/4/2019

Date of Analysis: 6/4/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	2	202726
2 Nashoba Valley Function Pond	ND	202726
3 Forge Village Beach	NT	
4 Summer Village Main Beach	12	202728
5 American Legion at LSFP	24	202727
6 Lakeside Meadows (on Nab Lake)	ND	202729
7 North Beach (on Nab Lake) N.I.A.	10	202730
8 Mary Lou Beach (on Nab Lake) N.I.A.	8	202730
9 Noble Cove (on Nab Lake) N.I.A.	2	202730
10 Edwards Beach	NT	
11 Sandy Beach (on Nab Lake) N.I.A.	6	202730
12 East Boston Camps (Daycare Beach)	ND	202731
13 East Boston Camps (Boys Beach)	ND	202731
14 East Boston Camps (Girls Beach)	ND	202731

RECEIVED

JUN 6 2019

WESTFORD BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 5/31/2019

Date Sampled: 5/30/2019

Date Received: 5/30/2019

Date of Analysis: 5/30/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	NT	
2 Nashoba Valley Function Pond	NT	
3 Forge Village Beach	NT	
4 Summer Village Main Beach	NT	
5 American Legion at LSFP	NT	
6 Lakeside Meadows (on Nab Lake)	NT	
7 North Beach (on Nab Lake) N.I.A.	14	202516
8 Mary Lou Beach (on Nab Lake) N.I.A.	4	202516
9 Noble Cove (on Nab Lake) N.I.A.	ND	202516
10 Edwards Beach	NT	
11 Sandy Beach (on Nab Lake) N.I.A.	2	202516
12 East Boston Camps (Daycare Beach)	ND	202515
13 East Boston Camps (Boys Beach)	ND	202515
14 East Boston Camps (Girls Beach)	ND	202515

RECEIVED

JUN 3 2019

WESTFORD
BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 5/30/2019

Date Sampled: 5/29/2019

Date Received: 5/29/2019

Date of Analysis: 5/29/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	2	202457
2 Nashoba Valley Function Pond	ND	202457
3 Forge Village Beach	NT	
4 Summer Village Main Beach	10	202458
5 American Legion at LSFP	4	202460
6 Lakeside Meadows (on Nab Lake)	ND	202461
7 North Beach (on Nab Lake) N.I.A.	NT	
8 Mary Lou Beach (on Nab Lake) N.I.A.	NT	
9 Noble Cove (on Nab Lake) N.I.A.	NT	
10 Edwards Beach	NT	
11 Sandy Beach (on Nab Lake) N.I.A.	NT	
12 East Boston Camps (Daycare Beach)	NT	
13 East Boston Camps (Boys Beach)	NT	
14 East Boston Camps (Girls Beach)	NT	

RECEIVED
MAY 31 2019
WESTFORD
BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Attention:
Jeff Stephens/Rae Dick
Town of Westford
55 Main Street
Westford, MA 01886

Report Date: 5/22/2019

get

Date Sampled: 5/21/2019

Date Received: 5/21/2019

Date of Analysis: 5/21/2019

Summary Report

Sample Location	E.coli per 100 ml	Lab#
1 Nashoba Valley Tiki Pond	6	202147
2 Nashoba Valley Function Pond	2	202147
3 Forge Village Beach	NT	
4 Summer Village Main Beach	ND	202149
5 American Legion at LSFP	2	202150
6 Lakeside Meadows (on Nab Lake)	ND	202151
7 North Beach (on Nab Lake) N.I.A.	28	202152
8 Mary Lou Beach (on Nab Lake) N.I.A.	10	202152
9 Noble Cove (on Nab Lake) N.I.A.	4	202152
10 Edwards Beach	NT	
11 Sandy Beach (on Nab Lake) N.I.A.	ND	202152
12 East Boston Camps (Daycare Beach)	ND	202153
13 East Boston Camps (Boys Beach)	ND	202153
14 East Boston Camps (Girls Beach)	ND	202153

RECEIVED

MAY 22 2019

WESTFORD BOARD OF HEALTH

NT=Not Tested
ND=None Detected

DPH Limit = 235 cfu/100ml
Method of Analysis: EPA 1603

Massachusetts State Certified
Laboratory # = M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director