

Westford Catchment Investigation Summary

PRELIMINARY

OF_ID	OF Location	Catchment Priority	Permit Year Visited	Catchment Investigation Status	Date Visited	T&B Field Inspector	# of KJMHS in Catchment	# of KJMHS Visited	System Mapping Updates Needed?	Field Notes	Suspected IDDE?	Wet Weather Needed at this Outfall?
New_AA	Melissa Drive	Low	PY4	Visited - Complete	10/7/2021	S. Downes	0	0	Yes	Update network	Unlikely	No
New5.18A	Steeple Chase Circle	Low	PY5	Visited - Complete	5/18/2023	E. Mortimer	1	1	No	Confirmed network.	Unlikely	No
OF_1000	Farmer Way	Low	PY5	Revisit	4/20/2023	E. Petraccione	2	2	Yes	Update network to include additional catch basin connected to CB 0099; wet weather screen to complete	Unlikely	Yes
OF_1009	Sweetwood Place	Low	PY5	Visited - Complete	5/12/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
OF_1016	Russells Way	Low	PY5	Revisit	5/5/2023	A. Keimel	1	1	Unknown	Confirm terminal structures to complete; flow in KJMH 3231	Unlikely	No
OF_1019	Fernwood Drive	Low	PY5	Visited - Complete	5/9/2023	E. Mortimer	1	1	No	Confirmed network	Unlikely	No
OF_1020	Rolling Meadow Lane	Low	PY5	Visited - Complete	5/9/2023	E. Mortimer	0	0	No	Confirmed network	Unlikely	No
OF_1026	Kayla Drive	Low	PY4	Visited - Complete	12/15/2021	E. Balcom	1	1	No	Confirmed network	Unlikely	No
OF_1027	Hidden Valley Road	Low	PY5	Visited - Complete	4/19/2023	A. Keimel	1	1	No	Confirmed network	Unlikely	No
OF_1028	Sawmill Road	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	0	0	Yes	Update network to include pipe connections	Unlikely	No
OF_1032	Brookside Road	Low	PY4	Visited - Complete	12/15/2021	E. Balcom	1	1	No	Confirmed network	Unlikely	No
OF_1034	Nabnasset Street	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	0	0	Yes	Confirmed network	Unlikely	No
OF_1035	Edwards Avenue	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	1	1	No	Confirmed network	Unlikely	No
OF_1037	Pine Tree Trail	Low	PY4	Visited - Complete	12/15/2021	E. Balcom	1	1	No	Confirmed network	Unlikely	No
OF_1038	Edwards Avenue	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	0	0	No	Confirmed network	Unlikely	No
OF_1039	Trails End Road	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	0	0	No	Confirmed network	Unlikely	No
OF_1041	Oak Hill Road	Low	PY5	Visited - Complete	6/1/2023	E. Petraccione	1	1	Yes	Update network to include unmapped structures and additional pipe connections	Unlikely	No
OF_1044	Pine Tree Trail	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	0	0	No	Confirmed network	Unlikely	No
OF_1046	Brookside Road	Low	PY5	Visited - Complete	6/1/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
OF_1047	Brookside Road	High	PY5	Visited - Complete	6/1/2023	E. Petraccione	0	0	Yes	Update network to include pipe connections	Unlikely	No
OF_1048	Brookside Road	Low	PY4	Visited - Complete	12/15/2021	E. Balcom	1	1	No	Confirmed network	Unlikely	No
OF_1049	Lucille Avenue	Low	PY4	Visited - Complete	12/15/2021	E. Balcom	1	1	No	Confirmed network	Unlikely	No
OF_1052	Blue Ridge Road	Low	PY5	Visited - Complete	5/12/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
OF_1053	Stony Brook Road	High	PY5	Visited - Complete	5/12/2023	E. Petraccione	1	1	Yes	Update network to include pipe connections	Unlikely	No
OF_1055	Allison Drive	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	1	1	Yes	Update network to include pipe connections	Unlikely	No
OF_1066	Stratton Hill Road	Low	PY5	Visited - Complete	4/20/2023	E. Petraccione	1	0	Yes	Update network to include pipe connections	Unlikely	No
OF_1082	Blacksmith Drive	Low	PY5	Visited - Complete	5/9/2023	E. Mortimer	0	0	Yes	Update network to include corrected pipe connections	Unlikely	No
OF_1087	Rome Drive	Low	PY5	Visited - Complete	4/20/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
OF_1090	Rome Drive	High	PY5	Visited - Complete	4/20/2023	E. Petraccione	1	1	No	Confirmed network; flow in KJMH 2477	Unlikely	No
OF_1091	Blakes Hill Road	Low	PY5	Visited - Complete	4/20/2023	E. Petraccione	1	1	Yes	Update network to include corrected pipe connections	Unlikely	No
OF_110	Sawmill Road	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	0	0	No	Confirmed network	Unlikely	No
OF_111	Sawmill Road	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	0	0	No	Confirmed network	Unlikely	No
OF_146	Plain Road	Low	PY5	Visited - Complete	6/1/2023	E. Petraccione	1	1	Yes	Update network to include pipe connections	Unlikely	No
OF_152	Newport Drive	Low	PY5	Visited - Complete	4/20/2023	E. Petraccione	1	1	No	Confirmed network	Unlikely	No
OF_164	Wilson Lane	Low	PY4	Visited - Complete	12/15/2021	E. Balcom	1	1	No	Confirmed network	Unlikely	No
OF_165	Moore Road	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	0	0	No	Confirmed network	Unlikely	No
OF_181	Preservation Way	Low	PY4	Visited - Complete	10/7/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
OF_182	Banbury Drive	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	1	1	Yes	Update network to include corrected structures	Unlikely	No
OF_188	Vine Brook Road	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	1	1	No	Confirmed network	Unlikely	No
OF_19	Fieldstone Drive	Low	PY4	Visited - Complete	10/7/2021	S. Downes	0	0	Yes	Update network to show new pipe connections	Unlikely	No
OF_191	Vine Brook Road	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	1	1	Yes	Update network to include corrected structures	Unlikely	No
OF_192	Robbins Road	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	1	1	Yes	Update network to include corrected structures	Unlikely	No
OF_193	Snow Drive	Low	PY4	Visited - Complete	10/7/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
OF_20	Fieldstone Drive	Low	PY4	Visited - Complete	10/7/2021	S. Downes	0	0	Yes	Update network to show new pipe connections	Unlikely	No
OF_206	Landmark Road	Low	PY5	Revisit	5/17/2023	E. Mortimer	2	2	Yes	Update network to update pipe connections; flow in KJMH 1841; sample flow in KJMH 1841 to complete	Unlikely	No
OF_211	Vose Hill Road	Low	PY5	Visited - Complete	5/17/2023	E. Mortimer	0	0	Yes	Update network to update pipe connections	Unlikely	No
OF_222	Acton Road	Low	PY5	Revisit	5/18/2023	E. Mortimer	1	0	No	Confirmed network; screen KJMH structure to complete	Unlikely	No
OF_223	Shelly Lane	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	0	0	No	Confirmed network	Unlikely	No
OF_236	Forge Village Road	Low	PY5	Visited - Complete	5/9/2023	E. Mortimer	0	0	Yes	Update network to update pipe connections	Unlikely	No
OF_276	Dutchman Lane	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	1	1	No	Confirmed network; flow in KJMH 3726	Unlikely	No
OF_277	Phillips Drive	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	1	1	Yes	Update network to include pipe connections	Unlikely	No
OF_278	Phillips Drive	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	0	0	Yes	Update network to include correct pipe connections and drainage direction	Unlikely	No

Westford Catchment Investigation Summary

PRELIMINARY

OF_ID	OF Location	Catchment Priority	Permit Year Visited	Catchment Investigation Status	Date Visited	T&B Field Inspector	# of KJMHS in Catchment	# of KJMHS Visited	System Mapping Updates Needed?	Field Notes	Suspected IDDE?	Wet Weather Needed at this Outfall?
OF_279	Phillips Drive	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	0	0	No	Confirmed network	Unlikely	No
OF_285	Kings Pine Road	Low	PY5	Visited - Complete		Town of Westford	0	0	No	Confirmed network	Unlikely	No
OF_286	Kirsi Circle	High	PY4	Visited - Complete	10/7/2021	S. Downes	1	1	Yes	Update network	Unlikely	No
OF_288	Douglas Road	Low	PY4	Visited - Complete	10/7/2021	S. Downes	1	1	Yes	Update network from construction	Unlikely	No
OF_290	Kirsi Circle	Low	PY4	Visited - Complete	10/7/2021	S. Downes	2	2	Yes	Update network	Unlikely	No
OF_292	Fairview Drive	Low	PY4	Visited - Complete	10/7/2021	S. Downes	1	1	Yes	Update network	Unlikely	No
OF_293	Tadmuck Lane	Low	PY4	Visited - Complete	10/7/2021	S. Downes	1	1	No	Confirmed network; flow from 2931. Flow from 2932	Unlikely	No
OF_298	Fairview Drive	Low	PY4	Visited - Complete	10/7/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
OF_302	Pierce Avenue	High	PY5	Visited - Complete	5/12/2023	E. Petraccione	1	1	Yes	Update network to include pipe connections; flow in KJMH 4760	Unlikely	No
OF_306	Sawmill Drive	High	PY5	Visited - Complete	5/18/2023	E. Mortimer	1	1	Yes	Update network to include pipe connections	Unlikely	No
OF_320	Crown Road	High	PY5	Visited - Complete	4/28/2023	E. Petraccione	1	1	No	Confirmed network	Unlikely	No
OF_321	Court Road	High	PY5	Revisit	4/27/2023	E. Balcom	0	0	Yes	Update network to include pipe connections; screen CB 2766 to complete	Unlikely	No
OF_322	Court Road	Low	PY5	Visited - Complete	4/28/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
OF_324	Drawbridge Road	High	PY5	Visited - Complete	5/5/2023	A. Keimel	1	1	No	Confirmed network; flow in KJMH 2755	Unlikely	No
OF_325	Drawbridge Road	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	0	0	Yes	Update network with correct structure types	Unlikely	No
OF_326	Drawbridge Road	High	PY5	Visited - Complete	5/5/2023	A. Keimel	1	1	Yes	Update network to include pipe connections; flow in KJCB 2751	Unlikely	No
OF_329	Providence Road	Low	PY5	Visited - Complete	5/9/2023	E. Mortimer	0	0	Yes	Update network to include pipe connections	Unlikely	No
OF_34	Mitchell Way	Low	PY5	Revisit	4/20/2023	E. Petraccione	1	1	Yes	Update to include pipe connections; flow in KJMH 3078; wet weather screen to complete	Potential	Yes
OF_346	Groton Road	Low	PY5	Revisit	6/1/2023	E. Petraccione	1	1	Potential	Confirm network following construction activities to complete	Unlikely	No
OF_352	Concord Road	Low	PY5	Visited - Complete	6/1/2023	E. Petraccione	1	1	Yes	Update network to include additional pipe connections	Unlikely	No
OF_380	Hutchins Way	Low	PY5	Visited - Complete	5/18/2023	E. Mortimer	1	1	Yes	Update network to include pipe connections	Unlikely	No
OF_382	Lynnwood Lane	Low	PY4	Visited - Complete	10/7/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
OF_390	Village View Road	Low	PY5	Visited - Complete	5/18/2023	E. Mortimer	1	1	Yes	Update network to include pipe connections; flow in KJMH 3568	Unlikely	No
OF_391	Village View Road	Low	PY5	Visited - Complete	5/18/2023	E. Mortimer	0	0	Yes	Update network to include pipe connections	Unlikely	No
OF_392	Village View Road	Low	PY5	Visited - Complete	5/18/2023	E. Mortimer	0	0	Yes	Update network to include pipe connections	Unlikely	No
OF_398	Anne Place	Low	PY5	Visited - Complete	5/9/2023	E. Mortimer	0	0	Yes	Update network to include pipe connections	Unlikely	No
OF_409	Alcorn Crossing	High	PY5	Revisit	4/27/2023	E. Balcom	0	0	Yes	Update network to include pipe connections; screen MH 1810 and confirm presence of SVFs to complete	Unlikely	Unknown
OF_41	Mitchell Way	Low	PY5	Revisit	4/20/2023	E. Petraccione	0	0	Yes	Update network to include pipe connections; dry and wet weather screen upstream structure to complete	Unlikely	Yes
OF_443	Hopkins Place	Low	PY5	Visited - Complete	5/12/2023	E. Petraccione	1	1	Yes	Update network to include pipe connections; flow in KJMH 2428	Unlikely	No
OF_449	Swedes Crossing	High	PY5	Visited - Complete	5/18/2023	E. Mortimer	1	1	Yes	Update network to include pipe connections; flow in KJMH 2536	Unlikely	No
OF_459	Lindsey Lane	Low	PY4	Visited - Complete	12/15/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
OF_475	Danley Drive	Low	PY5	Visited - Complete	6/1/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
OF_482	Russells Way	Low	PY5	Visited - Complete	6/1/2023	E. Petraccione	1	1	No	Confirmed network; flow in KJMH 3186	Unlikely	No
OF_485	Russells Way	Low	PY5	Visited - Complete	4/28/2023	E. Petraccione	1	1	Yes	Update network to include pipe connections; flow in KJMH 3209	Unlikely	No
OF_486	Russells Way	Low	PY5	Visited - Complete	4/28/2023	E. Petraccione	0	1	Yes	Update network to reclassify outfall as a BMP inlet in the OF_485 catchment	Unlikely	No
OF_487	Perham Circle	Low	PY5	Visited - Complete	4/19/2023	A. Keimel	1	1	No	Confirmed network	Unlikely	No
OF_492	Russells Way	Low	PY5	Visited - Complete	6/1/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
OF_496	Christy Lane	Low	PY5	Visited - Complete	6/1/2023	E. Petraccione	1	1	Yes	Update network to include pipe connections	Unlikely	No
OF_498	Christy Lane	Low	PY5	Visited - Complete	4/19/2023	A. Keimel	1	1	No	Confirmed network; flow in KJMH 3274	Unlikely	No
OF_506	Morrison Lane	Low	PY5	Visited - Complete	4/19/2023	A. Keimel	1	1	No	Confirmed network; flow in KJMH 3547	Unlikely	No
OF_507	Morrison Lane	Low	PY5	Visited - Complete	5/5/2023	A. Keimel	1	1	No	Confirmed network; flow in KJMH 3539	Unlikely	No
OF_517	Chandler Road	Low	PY5	Visited - Complete	4/19/2023	A. Keimel	0	0	No	Confirmed network	Unlikely	No
OF_521	Russell Street	Low	PY5	Visited - Complete	4/19/2023	A. Keimel	1	1	No	Confirmed network; flow in KJMH 3459	Unlikely	No
OF_524	Caldwell Drive	Low	PY5	Visited - Complete	4/19/2023	A. Keimel	1	1	Yes	Update network to include pipe connections; flow in KJMH 3487	Unlikely	No

Westford Catchment Investigation Summary

PRELIMINARY

OF_ID	OF Location	Catchment Priority	Permit Year Visited	Catchment Investigation Status	Date Visited	T&B Field Inspector	# of KJMHS in Catchment	# of KJMHS Visited	System Mapping Updates Needed?	Field Notes	Suspected IDDE?	Wet Weather Needed at this Outfall?
OF_526	Vineyard Road	Low	PY5	Visited - Complete	4/20/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
OF_531	True Bean Way	Low	PY5	Visited - Complete	5/9/2023	E. Mortimer	0	0	No	Confirmed network	Unlikely	No
OF_533	Birchwood Drive	Low	PY4	Visited - Complete	12/15/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
OF_538	Lakeside Terrace	Low	PY4	Visited - Complete	12/15/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
OF_540	Lakeside Terrace	Low	PY4	Visited - Complete	12/15/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
OF_542	Lakeside Terrace	Low	PY5	Visited - Complete	4/20/2023	E. Petraccione	1	1	Yes	Update network to reclassify outfall as a BMP inlet in the OF_543 catchment; flow in KJM 3853	Unlikely	No
OF_548	Lakeside Drive	Low	PY5	Visited - Complete	4/19/2023	A. Keimel	1	1	No	Confirmed network	Unlikely	No
OF_552	Blue Heron Drive	Low	PY5	Revisit	4/19/2023	A. Keimel	0	0	Unknown	Update network to include correct outfall location and confirm presence of SVFs to complete	Unlikely	Unknown
OF_561	Humiston Circle	Low	PY5	Visited - Complete	5/9/2023	E. Mortimer	0	0	No	Confirmed network	Unlikely	No
OF_575	Elderberry Way	Low	PY5	Visited - Complete	5/18/2023	E. Mortimer	1	1	Yes	Update to include pipe connections	Unlikely	No
OF_580	Trailside Way	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	0	0	No	Confirmed network	Unlikely	No
OF_591	Crocker Drive	Low	PY5	Revisit	4/19/2023	A. Keimel	1	1	Yes	Update network to include pipe connections	Unlikely	No
OF_6	Hemlock Road	Low	PY5	Revisit	5/9/2023	E. Mortimer	1	1	Yes	Update network following construction and include pipe connections; screen KJM at the intersection of Hemlock Road and Elm Road to complete	Unlikely	No
OF_7	Woodbine Terrace	Low	PY5	Revisit	5/9/2023	E. Mortimer	1	1	Yes	Update network following construction activities to complete	Unlikely	No
UNK-15	Hopkins Place	Low	PY5	Visited - Complete	5/12/2023	E. Petraccione	0	0	Yes	Update network to include correct location of the outfall and pipe connections	Unlikely	No
UNK-19	Buckboard Drive	Low	PY5	Visited - Complete	5/12/2023	E. Petraccione	1	1	No	Confirmed network	Unlikely	No
UNK-20	Buckboard Drive	Low	PY5	Visited - Complete	5/12/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
UNK-21	Buckboard Drive	Low	PY5	Visited - Complete	5/12/2023	E. Petraccione	0	0	No	Confirmed network	Unlikely	No
UNK-22	Buckboard Drive	Low	PY5	Visited - Complete	5/12/2023	E. Petraccione	0	0	Yes	Update network to include pipe connections	Unlikely	No
UNK-23	Buckboard Drive	Low	PY5	Visited - Complete	5/12/2023	E. Petraccione	0	0	Yes	Update network to include pipe connections	Unlikely	No
UNK-35	Woodbury Drive	Low	PY4	Visited - Complete	12/15/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
UNK-37	Fernwood Drive	Low	PY4	Visited - Complete	12/15/2021	E. Balcom	1	1	No	Confirmed network	Unlikely	No
UNK-4	Christopher Road	Low	PY5	Visited - Complete	5/18/2023	E. Mortimer	0	0	Yes	Update network to include pipe connections	Unlikely	No
UNK-45	Alcorn Crossing	Low	PY5	Revisit	4/27/2023	E. Balcom	0	0	No	Confirmed network	Unlikely	Unknown
UNK-51	Buckingham Drive	Low	PY5	Visited - Complete	5/18/2023	E. Mortimer	0	0	Yes	Update network to include pipe connections	Unlikely	No
UNK-52	Windsor Way	Low	PY5	Visited - Complete	5/18/2023	E. Mortimer	0	0	No	Confirmed network	Unlikely	No
UNK-54	Humiston Circle	Low	PY5	Visited - Complete	5/9/2023	E. Mortimer	1	1	Yes	Update network to reclassify UNK-54 as a BMP inlet in NEW5.18C catchment.	Unlikely	No
UNK-56	Casie Lane	Low	PY5	Revisit	5/9/2023	E. Mortimer	1	1	Yes	Update network to reclassify UNK-55 as a BMP inlet in the correct outfall (UNK-56) catchment; sample KJM 4120 to complete	Unlikely	Unknown
UNK-61	Fieldstone Drive	Low	PY4	Visited - Complete	10/7/2021	S. Downes	1	1	No	Confirmed network	Unlikely	No
UNK-62	Robbins Road	Low	PY5	Visited - Complete	4/27/2023	E. Balcom	1	1	Yes	Update network to include pipe connections	Unlikely	No
UNK-64	Fernwood Drive	Low	PY5	Visited - Complete	-	-	0	0	-	Confirmed network	-	No
UNK-68	Tyngsborough Road	Low	PY5	Visited - Complete	-	-	0	0	-	Confirmed network	-	No
UNK-7	Steeple Chase Circle	Low	PY4	Revisit	10/7/2021	S. Downes	2	1	Yes	Update network to include pipe connections; screen KJM 5527 to complete	Unlikely	No

Westford KJM Summary

PRELIMINARY

Catchment Outfall ID	KJM # in Catchment	Structure ID ¹	KJM Location (street)	Date Visited	Tighe & Bond Field Inspector	Flow Present?	# Samples Taken at KJM	Evidence of Potential Illicit Discharge /Connection?	KJM Complete?	Surfactants (mg/L)	Ammonia (mg/L)	Chlorine (mg/L)	Visual/Olfactory Evidence of Sewage?	Wet Weather Needed?
						(yes/no)								
OF_521	1		3459 Chandler Rd	4/19/2023	Anna Keimel	Yes	1	No	Yes	0.25	0.00	0.14	No	No
			3459 Chandler Rd	4/19/2023	Anna Keimel	Yes		No	Yes	0.50	0.00	0.25	No	No
			4699 Chandler Rd	4/19/2023	Anna Keimel	Yes		No	Yes	0.25	0.00	0.11	No	No
			3473 Chandler Rd	4/19/2023	Anna Keimel	No		No	Yes	-	-	-	No	No
			3479 Chandler Rd	4/19/2023	Anna Keimel	Yes		No	Yes	0.25	0.00	0.10	No	No
			3479 Chandler Rd	4/19/2023	Anna Keimel	Yes		No	Yes	0.25	0.00	0.05	No	No
OF_524	1		3487 Caldwell Dr	4/19/2023	Anna Keimel	Yes	1	No	Yes	0.25	0.00	0.12	No	No
OF_506	1		3547 Morrison Ln	4/19/2023	Anna Keimel	Yes	1	No	Yes	0.25	0.00	0.06	No	No
OF_498	1		3274 Christy Ln	4/19/2023	Anna Keimel	Yes	1	No	Yes	0.25	0.00	0.06	No	No
OF_1027	1		3437 Hidden Valley Rd	4/19/2023	Anna Keimel	No		No	Yes	-	-	-	No	No
OF_487	1		3202 Perham Cir	4/19/2023	Anna Keimel	No		No	Yes	-	-	-	No	No
OF_591	1		2387 Crocker Dr	4/19/2023	Anna Keimel	No		No	Yes	-	-	-	No	No
OF_548	1		3809 Lake Side Dr	4/19/2023	Anna Keimel	No		No	Yes	-	-	-	No	No
OF_34	1		3078 Mitchell Way	4/20/2023	Ellie Petraccione	Yes	1	Yes	No	0.25	0.00	0.11	Yes	Yes
			3079 Mitchell Way	4/20/2023	Ellie Petraccione	Yes			No	0.25	0.00	0.00	Yes	Yes
			3298 Mitchell Way	4/20/2023	Ellie Petraccione	Yes			No	0.25	0.00	0.09	No	Yes
OF_1000	2		94 Farmer Way	4/20/2023	Ellie Petraccione	No		No	No				No	Yes
			96 Farmer Way	4/20/2023	Ellie Petraccione	No			No				No	Yes
			5198 Farmer Way	4/20/2023	Ellie Petraccione	No			No				No	Yes
OF_542	1		3853 Lake Side Dr	4/20/2023	Ellie Petraccione	Yes	1	No	Yes	0.25	0.00	0.09	No	No
			3855 Fawn Rd	4/20/2023	Ellie Petraccione	Yes			Yes				No	No
			3856 Fawn Rd	4/20/2023	Ellie Petraccione	Yes			Yes				No	No
			3857 Fawn Rd	4/20/2023	Ellie Petraccione	Yes			Yes	0.00	0.25	0.06	No	No
OF_152	1		508 Newport Dr	4/20/2023	Ellie Petraccione	No		No	Yes				No	No
OF_1066	1		1272 Stratton Hill Rd	4/20/2023	Ellie Petraccione	No		No	Yes				No	No
	0		1255 Sherwood Dr	4/20/2023	Ellie Petraccione	No			Yes				No	No
OF_1090	1		2477 Rome Dr	4/20/2023	Ellie Petraccione	Yes		No	Yes	0.00	0.25	0.09	No	No
OF_1091	1		2473 Blakes Hill Rd	4/20/2023	Ellie Petraccione	No		No	Yes				No	No
OF_277	1		3750 Phillips Dr	4/27/2023	Emily Balcom	Yes		No	Yes	0.25	0.00	0.03	No	No

Westford KJM Summary

PRELIMINARY

Catchment Outfall ID	KJM # in Catchment	Structure ID ¹	KJM Location	Date Visited	Tighe & Bond Field Inspector	Flow Present?	# Samples Taken at KJM	Evidence of Potential Illicit Discharge /Connection?	KJM Complete?	Surfactants (mg/L)	Ammonia (mg/L)	Chlorine (mg/L)	Visual/Olfactory Evidence of Sewage?	Wet Weather Needed?
			(street)			(yes/no)								
OF_276	1	3726	Tallard Rd	4/27/2023	Emily Balcom	Yes	2	No	Yes	0.25	0.25	0.10	No	No
		3726	Tallard Rd	4/27/2023	Emily Balcom	Yes		No	Yes	0.50	0.00	0.13	No	No
UNK-62	1		5655 Robbins Rd	4/27/2023	Emily Balcom	No		No	Yes				No	No
	0		3647 Robbins Rd	4/27/2023	Emily Balcom	No			Yes				No	No
OF_192	1	3657	Robbins Rd	4/27/2023	Emily Balcom	No		No	Yes				No	No
OF_182	1		4301 Banbury Dr	4/27/2023	Emily Balcom	No		No	Yes				No	No
OF_188	1	1896	Vine Brook Rd	4/27/2023	Emily Balcom	No		No	Yes				No	No
OF_191	1	1825	Vine Brook Rd	4/27/2023	Emily Balcom	No		No	Yes				No	No
OF_486	0		3210 Russels Way	4/27/2023	Emily Balcom	Yes		No	Yes	0.50	0.25	0.06	No	No
			3209 Russels Way	4/28/2023	Ellie Petraccione	Yes			Yes	0.25	0.25	0.04	No	No
		4755	Fir Rd	5/5/2023	Anna Keimel	No		No	No				No	No
			1758 Hemlock Rd	4/28/2023	Ellie Petraccione	No			No				No	No
OF_6	1		1762 Hemlock Rd	4/28/2023	Ellie Petraccione	No			No				No	No
			5385 Oak Rd	4/28/2023	Ellie Petraccione	No			No				No	No
			5484 Oak Rd	4/28/2023	Ellie Petraccione	No			No				No	No
OF_320	1	2461	Crown Rd	4/28/2023	Ellie Petraccione	Yes		No	Yes	0.25	0.25	0.02	No	No
			2123 Crown Rd	4/28/2023	Ellie Petraccione	Yes			Yes	0.25	0.25	0.02	Yes	No
OF_1035	1		5355 Edwards Ave	5/5/2023	Anna Keimel	No	0	No	Yes	-	-	-	No	No
OF_326	1	2751	Drawbridge Rd	5/5/2023	Anna Keimel	Yes		No	Yes	3.00	0.00	0.06	Yes	No
			2754 Drawbridge Rd	5/5/2023	Anna Keimel	Yes			Yes	3.00	0.00	0.18	No	No
	1	2755	Drawbridge Rd	5/5/2023	Anna Keimel	Yes		No	Yes	1.00	0.00	0.19	No	No
OF_324	0	2755	Drawbridge Rd	5/5/2023	Anna Keimel	Yes			Yes	0.25	0.00	0.07	No	No
			2756 Drawbridge Rd	5/5/2023	Anna Keimel	Yes			Yes	0.50	0.00	0.12	No	No
OF_7	1		5472 Elm Rd	5/5/2023	Anna Keimel	Yes		No	No	0.50	0.25	0.19	No	No
			1163 Elm Rd	5/5/2023	Anna Keimel	Yes			No	1.00	0.00	0.05	No	No
OF_507	1	3539	Morrison Ln	5/5/2023	Anna Keimel	Yes		No	Yes	0.25	0.00	0.26	No	No
OF_1016	1	3231	Russels Way	5/5/2023	Anna Keimel	Yes		No	No	0.25	0.00	0.09	No	No
OF_1019	1	1682	Fernwood Dr	5/9/2023	Evelyn Mortimer	Yes		No	Yes	0.25	0.00	0.05	No	No
			4224 Honeysuckle Rd	5/9/2023	Evelyn Mortimer	Yes		No	-	0.25	0.00	0.09	No	No
UNK-54	0		4244 Honeysuckle Rd	5/9/2023	Evelyn Mortimer	Yes		No	-	0.25	0.25	0.10	No	No
			4120	5/9/2023	Evelyn Mortimer	Yes		No	-				No	No

Westford KJM Summary

PRELIMINARY

Catchment Outfall ID	KJM # in Catchment	Structure ID ¹	KJM Location	Date Visited	Tighe & Bond Field Inspector	Flow Present?	# Samples Taken at KJM	Evidence of Potential Illicit Discharge /Connection?	KJM Complete?	Surfactants (mg/L)	Ammonia (mg/L)	Chlorine (mg/L)	Visual/Olfactory Evidence of Sewage?	Wet Weather Needed?
			(street)			(yes/no)								
UNK-55	0	4108		5/9/2023	Evelyn Mortimer	Yes		No	-				No	No
		4135		5/9/2023	Evelyn Mortimer	Yes		No	-				No	No
OF_443	1	2428	Hopkins Pl	5/12/2023	Ellie Petraccione	Yes		No	Yes				No	No
			5167 Hopkins Pl	5/12/2023	Ellie Petraccione	Yes			Yes				No	No
			2447 Hopkins Pl	5/12/2023	Ellie Petraccione	Yes			Yes				No	No
			2449 Hopkins Pl	5/12/2023	Ellie Petraccione	No			Yes				No	No
			2434 Chatfield Cir	5/12/2023	Ellie Petraccione	Yes			Yes	0.25	0.25	0.00	No	No
OF_1053	1	1325	Polley Rd	5/12/2023	Ellie Petraccione	Yes		No	Yes	0.25	0.00	0.00	No	No
OF_449	1	2536	Swedes Xing	5/12/2023	Ellie Petraccione	Yes		No	Yes	0.25	0.25	0.01	No	No
	0	2536	Swedes Xing	5/18/2023	Evelyn Mortimer	Yes			Yes				No	No
UNK-19	1	5571	Buckboard Dr	5/12/2023	Ellie Petraccione	No		No	Yes				No	No
OF_302	1	4760	Pierce Ave	5/12/2023	Ellie Petraccione	Yes		No	Yes	0.25	0.25	0.18	No	No
OF_575	1	4414	Elderberry Way	5/17/2023	Evelyn Mortimer	No		No	Yes				No	No
OF_306	1	3128	Sawmill Dr	5/17/2023	Evelyn Mortimer	No		No	Yes				No	No
OF_380	1	2223	Hutchins Way	5/17/2023	Evelyn Mortimer	Yes		No	Yes				No	No
OF_427	1	4588	Heather Dr	5/17/2023	Evelyn Mortimer	Yes		No	No				No	No
OF_425	1	4574	Heather Dr	5/17/2023	Evelyn Mortimer	No		No	Yes				No	No
OF_390	1	3568	Village View Rd	5/17/2023	Evelyn Mortimer	Yes		No	Yes				No	No
New5.18A	1	5533		5/18/2023	Evelyn Mortimer	No		No	Yes				No	No
OF_1047	0	5367	Brookside Rd	6/1/2023	Ellie Petraccione	Yes		No	Yes	0.25	0.25	0.02	No	No
OF_146	1	534	Plain Rd	6/1/2023	Ellie Petraccione	No		No	Yes				No	No
OF_496	1	3280	Vineyard Rd	6/1/2023	Ellie Petraccione	No		No	Yes				No	No
OF_1041	1	5457	Oak Hill Rd	6/1/2023	Ellie Petraccione	No		No	Yes				No	No
	0	-		6/1/2023	Ellie Petraccione	No			Yes				No	No
OF_346	1	638	Groton Rd	6/1/2023	Ellie Petraccione			No	No				No	No
OF_482	1	3186	Russels Way	6/1/2023	Ellie Petraccione	Yes		No	Yes	0.25	0.00	0.09	No	No
OF_352	1	4720	Concord Rd	6/8/2023	Ellie Petraccione	Yes		No	Yes	0.25	0.00	0.10	No	No
	0	4720	Concord Rd	6/1/2023	Ellie Petraccione	Yes			Yes	0.25	0.00	0.13	No	No

1. KJM is in bold.

DUNSTABLE

TYNGSBOROUGH

CHELMSFORD

LITTLETON

ACTON

PRELIMINARY



Legend

Catchment Investigation Status

- ▲ Completed in 2023 Field Effort
- ▲ Completed in 2021 Field Effort
- ▲ Revisit
- △ Not Visited

- Catch Basin
- Manhole
- ★ Water Quality Inlet
- Culvert
- Drain Pipe

- Limited Access Highway
- Multi-Lane Highway, NOT Limited Access
- Other Numbered Highway
- Major Road - Collector
- Minor Street or Road

- Stream/Intermittent Stream
- Public Surface Water Supply (PSWS)
- Water Bodies
- MassDEP Inland Wetlands
- MassDEP Coastal Wetlands
- Town Boundary

CATCHMENT INVESTIGATION STATUS

MS4 Year 5 Stormwater Compliance

Westford, Massachusetts

August 2023



Notes
 1. Resource Data Provided by the Commonwealth of Massachusetts, MassGIS
 2. Stormwater Infrastructure Data Provided by the Town of Westford

